



Philips
PhotoFrame

9" LCD

9FF2CWO



Every picture tells your story

How many digital pictures are hidden on your PC? See, share, organize and relive your memories with Philips PhotoFrame™, the easiest way to display your digital photos in stunning quality - without a PC.

Top quality display for print-like pictures

- High pixel density for sharp and detailed photo display
- Display all the crisp colors of professional printed photos

Luxurious design to complement your photos

- Exquisite materials and finishing add value to your photos
- Auto photo orientation to fit portrait or landscape modes

Easily display and manage your digital photos

- Play slideshows, single photo, thumbnails or show clock
- Display and manage photos on memory cards or internal memory
- Create albums, slideshows and manage your photos
- Rotate, zoom, crop, mask and add effects to your photos

Simple intuitive operation and great convenience

- USB connector for easy photo downloading from your PC
- Operate on AC power or cordlessly with rechargeable battery
- Auto turning display on/off at preset times for power saving

PHILIPS

sense and simplicity

PhotoFrame
9" LCD

Specifications

Picture/Display

- **Effective viewing area:** 169.6 x 111.7 mm
- **Resolution:** 800 x 480 pixels (viewing area 680 x 480)
- **Viewing angle:** @ C/R > 10, 120° (H) / 110° (V)
- **Lifetime, to 50% brightness:** 20000 hr
- **Brightness:** 300 cd/m²

Connectivity

- **USB:** To PC

Storage Media

- **Memory Card Types:** Compact Flash type I, Memory Stick, Memory Stick Pro, Multimedia Card, Secure Digital (SD), xD card
- **Built-in memory capacity:** 110 to 150 photos

Convenience

- **Card Reader:** Built-in (2x)
- **Photo format supported:** JPEG photo (in DCF structure), Up to 12 Megapixels
- **Placement supported:** Landscape, Portrait, Photo auto orientation
- **Buttons and controls:** 2 buttons, 5-way mini joystick
- **Playback mode:** Full screen browse, Slideshow, Thumbnail browse
- **Album management:** Create, Delete, Edit, Rename
- **Photo edit:** Copy, Delete, Rotate, Crop, Move
- **Photo effects:** Black and White, Frames, Sepia
- **Slideshow management:** Create slideshow, Delete slideshow, Rename slideshow
- **Slideshow setting:** Collage (single picture), Random, Sequential, Transition effect
- **Screen background:** Black, White, Gray
- **Setup function:** Brightness adjustment, Language, Status, Auto on/off on weekday/weekend, Beep on/off, Set time and date, Clock display enable/disable,

- Event reminder with snooze, Photo source
- **System status:** Battery level, Firmware version, Power source, Remaining memory
- **Connected media status:** Connected media, Remaining memory
- **Plug & Play Compatibility:** Windows 2000/XP or later
- **Regulatory Approvals:** BSMI, C-Tick, CCC, CE, FCC, GOST, PSB, UL, VCCI
- **Adjustable stand:** Rotating, Tilt-adjustable
- **Wall mountable / Ceiling Throw:** Wall mount ready
- **Other convenience:** Kensington lock compatible
- **On-Screen Display languages:** English, French, German, Italian, Japanese, Russian, Simplified Chinese, Spanish

Accessories

- **Included Accessories:** AC-DC Adapter, Quick start guide, Stand, USB cable, Wall mount kit, CD-ROM with software + manual, PC/Mac software CD

Dimensions

- **Set dimensions with stand (W x H x D):** 260 x 199 x 108 mm
- **Weight:** 0.97 kg
- **Temperature range (operation):** 0°C to 45°C
- **Temperature range (storage):** -20°C to 60°C

Power

- **Power consumption:** (System on and battery charging) 12 W
- **Operating time on battery:** 1* hr
- **Battery LED indicator:** Charging - Blinking
- **Power LED indicator:** Operation - Blue
- **Power mode supported:** AC powered, Battery powered

9FF2CWO/37

Product highlights

High Pixel Density Display

The very best high density screen shows off your treasured photos with the same 'real life' rich detail and vibrant colors as high quality prints.

Rich, vibrant colors

Full color display brings out the best in your photos with vibrant, real life colors by displaying the same full range of colors found in professionally printed photos.

Quality design and materials

High quality design and exquisite materials include a solid stylish stand, designer frame and detailed finishing that convey an impression of value and refined taste, adding luster to the photos displayed on PhotoFrame.

Auto orientation

Automatic landscape/portrait recognition employs a sensor that recognizes PhotoFrame orientation and displays each photo in its proper mode.

Multiple viewing modes

Flexible display modes give you the freedom to display your photos one image at a time, in thumbnail mode for quick, easy searches, or to create a slideshow of your most treasured photos.

Memory-Card Manager

Memory-Card Manager is a set of two built-in memory card readers and featured software for displaying, editing, storing and organizing your memory card photos directly in one, hassle-free step - all without a PC.

Smart Album

Smart Album allows you to create and manage albums, as well as to set up and adjust transition effects to your photo slideshows.

PhotoEffect Wizard

The PhotoEffect Wizard is an easy-to-use feature that allows you to rotate, zoom in, crop and even adjust photo color tones to black & white or sepia right within PhotoFrame.

Easy USB connectivity

A USB connector is built into the device for easy and quick downloading photos from a PC.

Run on built-in battery or AC

AC or onboard battery power give you the choices of operating your PhotoFrame on standard AC power or cordlessly with the onboard rechargeable battery.

SmartPower

A timer turns PhotoFrame on and off at the hours you select, reducing energy consumption for the sake of our environment saving up to one third of your PhotoFrame energy costs.



Issue date 2009-02-12

Version: 4.1.9

12 NC: 8670 000 2653 I
UPC: 6 09585 12548 3

© 2009 Koninklijke Philips Electronics N.V.
All Rights reserved.

Specifications are subject to change without notice.
Trademarks are the property of Koninklijke Philips Electronics N.V. or their respective owners.

www.philips.com

* Battery operating time depends on temperature, brightness level and operation type.